

Product Data Sheet SORB^{®XT} Quick Container 1.600L EASY

SORB® ^x T Quick Container 1.600L EASY
100650
2.000x2.000x425
23,20KG
1.600,00L

Product Information:

Recommended use

- the Quick Container EASY is intended for protection of persons and objects in case of undesired leakage of liquids such as water, petroleum and chemical substances.
- all Quick Container Easy are made of PVC with a special surface coating (PES/PVC 680 g/m²). The material is resistant to petroleum products and acids

Application

- place below area of expected spill of contaminated material
- use as a collecting container
- for short-term storage of hazardous substances and conventional technical, chemical and petroleum products

After application

- after use it is easy to clean with soap and water
- uses little storage space, as it is foldable

Properties

- stiffeners are welded into the side walls to reinforce the shape.
- temperature range for use is from -10 °C to + 70 °C
- foldable
- carrying bag included
- low weight
- possibility to adapt the shape to the obstacle
- easy to use even in places that are difficult to access



Allegro Capital, Logistics, Services & More GmbH

Klosterhofweg 64 41199 Mönchengladbach phone: +49 2166 1268-160 e-mail: service@sorb-xt.de

www.sorb-xt.de

managing director: Wolf-Peter Korth tax number: 102/5801/1903 VAT number.: DE308746153 CRN: 19194 Menone Market Andrew Market An

bank details: Commerzbank AG Mönchengladbach IBAN: DE82 3104 0015 0162 1028 00 BIC: COBADEFFXXX



Resistance list Resistance levels:

A = resistant B = resistant for at least 3 hours C = not resistant

With regard to a multitude of possible combinations of chemical substances, as well as other influencing factors, such as concentration or temperature, this resistance list serves as a guide.

Therefore, the resistance of the product to the substances listed in this overview can't be fully guaranteed. Neither the manufacturer nor the distributor assumes any liability or guarantee for any damage that may occur. We recommend that individual tests be carried out in order to draw a reliable conclusion about the chemical resistance.

Substance name	Chemical formula	Resistance at temperature 20°C	Resistance at temperature 60°C
Aceton	CH ₃ COCH ₃	C	C
Fuel		c	c
Diesel		В	В
Ethanol	C₂H₅OH	В	В
Ethylene glycol	C2H6O2	В	В
Ethyl acetate	C4H8O2	С	c
Acetic acid 10%	СН₃СООН	В	В
Transmission oil		В	В
Isopropyl alcohol	СЗН8О	В	В
Petroleum	C9-C16	C	C
Saltwater		Α	Α
Methanol	CH₃OH	В	В
Dichloromethane	CH2Cl2	С	c
Solution of sodium chloride 20%	NaCl	A	Α
Sodium hydroxide 2%	NaOH	A	Α
Oil SAE 40		Α	Α
Nitric acid 15%	HNO ₃	В	В
Hydrochloric acid 10%	HCI	Α	Α
Lubricating oil		A	Α
Sulphuric acid 15%	H2SO4	Α	Α
Silicone oil		Α	Α
Distillates of turpentine		В	В
Toluene	С6Н5СН3	C	C
Water	H₂O	Α	Α

SORB^{® XT} Quick Containers are not suitable for long-term storage or for the storage of substances and chemical substances. The products are designed as a quick solution for emergency and incident situations.